

CERTIFICATE OF COMPLIANCE

Certificate Number R40526
Report Reference R40526-20220330
Date 2022-April-05

Issued to: Khedr Trust Co
Abu AIGHyt AlQanatir road, Industrial Area Behind Coca-Cola Co, AlQanatir AlKhayria , AlQilyubia, Cairo ,Egypt EG

This is to certify that representative samples of DAMPERS FOR FIRE BARRIER AND SMOKE APPLICATIONS
See Addendum Page for Product Designation(s).

Have been investigated by UL in accordance with the Standard(s) indicated on this Certificate.

Standard(s) for Safety: UL 555, Standard for Fire Dampers

Additional Information: See the UL Online Certifications Directory at <https://iq.ulprospector.com> for additional information

This Certificate of Compliance does not provide authorization to apply the UL Mark. Only the UL Follow-Up Services Procedure provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number R40526
Report Reference R40526-20220330
Date 2022-April-05

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

Product(s):

Fire Dampers for Use in Static Systems, Model FDM.

Model Nomenclature:

FDM = 3 hr. Static Fire Damper.



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>

